DWI Update

- New Legislation: Felony DWI and Forfeiture/ Ignition Interlock
- New Case Law: <u>Mitchell</u> and <u>Rosenbush</u>
- New Issues: Source Code

Minn. Stat. 169A.24

- Provides catch-all language for felony CVO/ CVH convictions
- <u>Smith</u> decision
- Includes out of state convictions (Convictions for CVO)

2019 Minnesota Session Laws, Chapter 5, Article 6, Section 3

Minn. Stat. 169A.63

Allows someone to avoid DWI forfeiture by enrolling in the ignition interlock program

2019 Minnesota Session Laws, Chapter 5, Article 6, Section 4

Wisconsin v. Mitchell, _____U.s. ____(June 27, 2019).

- Warrantless blood draw from an unconscious driver
- Court held that this was an exigent circumstance where the driver was unconscious and treated medically
- Court did not rule for the state based upon implied consent

State v. Rosenbush, 931 N.W.2d 91 (Minn. 2019).

- > Minnesota Supreme Court held that the limited right to counsel in Friedman does not apply when there is a search warrant for the blood draw under Minn. Stat. 171.177.
- > The decision was 4 3
- > There is a right to counsel before a breath test





Source Code

We are starting to see requests for the source code for the DMT breath test instrument.

We previously dealt with source code challenges from 2007 – 2012. This involved:

- The Minnesota Supreme Court ruled in <u>Underdahl II</u> that we had to produce the source code.
- Minnesota litigated a Federal lawsuit against the manufacturer to obtain the source code
- The source code was made available at the manufactuer headquarters in Kentucky
- An evidentiary hearing during December 2012

Do <u>not</u> agree to the defense attorney's motion requesting the source code

Source Code

There are 3 arguments to oppose the defense's source code motion:

- 1. Relevancy or materiality
- 2. The State does not have possession, custody, or control of the source code
- 3. Challenging the qualifications of the defense expert

Resources Available

Brief template for source code request

- Affidavits of Steven Haenchen
- Affidavit of BCA breath test lab
- Orders by district court

Questions

Bill Lemons Traffic Safety Resource Prosecutor Minnesota County Attorneys Association 100 Empire Drive, Suite 200 St. Paul, MN 55103 651-641-1600 <u>blemons@mcaa-mn.org</u>