








Feline FAS Sedation - Pain Algorithm

Cat presents for examination:



Feline Sedation Protocols Healthy Patients

Use lower end of dosage range for geriatrics

FAS LEVEL 2-3	 <p>Dexmedetomidine 1-5 mcg/kg IV or 5-15 mcg/kg IM OR Acepromazine 0.05-0.1 mg/kg IM or IV with Midazolam 0.2 mg/kg IM or IV</p>	<p>MILD PAIN</p>  <p>Buprenorphine 0.02-0.03 mg/kg IM or IV OR Butorphanol 0.2-0.4 mg/kg IM or IV</p>
FAS LEVEL 3-4	 <p>Dexmedetomidine 5-15 mcg/kg IM with Butorphanol 0.2-0.4 mg/kg IM <i>(For moderate to severe pain use Buprenorphine or a pure mu opioid instead of Butorphanol)</i> (+/-) Midazolam 0.2 mg/kg IM or IV</p>	<p>MODERATE PAIN</p>  <p>Buprenorphine 0.02-0.03 mg/kg IM or IV OR Hydromorphone 0.05-0.1 mg/kg IM or IV OR Morphine 0.05-0.2 mg/kg IM</p>
FAS LEVEL 5	 <p>Dexmedetomidine 20-40 mcg/kg IM with Butorphanol 0.2-0.4 mg/kg IM OR 0.02 mg/kg Buprenorphine IM <i>(For severe pain use pure mu opioid instead of Butorphanol or Buprenorphine)</i> (+) Ketamine 1-2 mg/kg IM or 5-10 mg/kg IM for anesthesia OR Tiletamine-Zolazepam 1-2 mg/kg IM</p>	<p>SEVERE PAIN</p>  <p>Hydromorphone 0.05-0.1 mg/kg IM OR Morphine 0.05-0.2 mg/kg IM</p>